


Clinical Trials for Adults

In Person Clinical Trials **VERTEX VX-880 AGES 18-65** 2 EPISODES OF SEVERE HYPOGLYCEMIA T1D AT LEAST 5 YEARS **DRUG LOCATION: MA VERTEX VX-264 AGES 18-65** T1D FOR AT LEAST 5 YEARS **DRUG LOCATION: MA** PRECISION II STUDY **AGES 18-75** T1D AT LEAST 3 MONTHS **DEVICE LOCATION: MA** STEADISET 7 DAY INFUSION SET **AGES 18+** USING TANDEM CONTROL IQ COMPENSATION UP TO \$1240 **DEVICE LOCATION: MA** JOSLIN HEART AND KIDNEY AGES 25-65 DIAGNOSED BEFORE 41 NORMAL/MODERATELY DECREASED **KIDNEY FUNCTION OBSERVATIONAL LOCATION: MA** PERL-FENO STUDY **AGES 18-70** T1D AT LEAST 8 YEARS EARLY/MODERATE DKD W/ RISK OF ESKD **DRUG LOCATION: MA**

| | - | |
|---------------|--|--|
| OBSERVATIONAL | PROMISE PREGNANT WOMEN/BIOLOGICAL FATHERS OF OFFSPRING W/1ST DEGREE T1D RELATIVE LOCATION: MA | |
| DRUG | EFFECTS OF KETOSIS ON BRAIN FUNCTION AGES 18-40 T1D AT LEAST 1 YEAR WITH A1C 6.5-9% USE OF CGM AND INSULIN PUMP LOCATION: MA | |
| OBSERVATIONAL | BONE HEALTH IN T1D YOUTH AGES 6-20 WITH T1D AND WITHOUT T1D EARN UP TO \$300 LOCATION: MA | |
| DEVICE | TANGO PARTICIPANTS OVER 65 MDI OR PUMP LOCATION: MA | |
| DEVICE | CIAO AGES 18-35 or 65+ MULTIPLE DAILY INJECTIONS LOCATION: MA | |
| BEHAVIORAL | AGES 14-35 T1D AT LEAST 1 YEAR W/BODY IMAGE CONCERNS LOCATION: MA | |
| BEHAVIORAL | VERY LOW CARB DIET STUDY AGES 18-40 T1D AT LEAST 1 YEAR WITH A1C 6.5-9% LOCATION: MA | |



DEVICE

EVERSENSE

PARTICIPANTS OVER 18 NOT CURRENTLY USING CGM

LOCATION: VT





OBSERVATIONAL

IMMUNE FUNCTION

ALL AGES T1DS AND/OR FAMILY MEMBERS OF T1DS **EARN \$20**

LOCAL LAB



Virtual Clinical Trials



SURVEY

BEHAVIORAL

BEHAVIORAL

UNIVERSITY OF OREGON STUDY

T1D AT LEAST 3 MONTHS **USING CGM**

VIRTUAL



USF MINDFULNESS APP

AGES 12-19 T1D AT LEAST 6 MONTHS **EARN \$80 VIRTUAL**



CGM SHARING IN OLDER ADULTS

AGES 60+ A1C 7.5-11%

VIRTUAL




TRIALNET

DIRECT RELATIVES OF **T1DS AGES 2-45**



VIRTUAL OR TRIALNET CENTER



PREVENTION

DEVICE

EXTENDED BOLUS CLOSED LOOP

AGES 13-18 T1D AT LEAST 1 YEAR **USING CONTROL IQ**

VIRTUAL



| SURVEY | T1D EXCHANGE REGISTRY INDIVIDUALS WITH T1D AND/OR THEIR CAREGIVERS VIRTUAL | |
|--------------------|---|--|
| COITVLI | | |
| BEHAVIORAL | FEMALES AGES 15-30 W/BODY IMAGE CONCERNS AND/OR DISORGANIZED EATING EARN \$110 VIRTUAL/MA | |
| BEHAVIORAL | TELE-MED COGNATIVE BEHAVIOR THERAPY AGES 18-35 T1D AT LEAST 6 MONTHS WITH ANXIETY OR DEPRESSION VIRTUAL | |
| | | |
| DEVICE | FREESTYLE LIBRE 2 OR 3 AGES 2-30 NOT CURRENTLY USING LIBRE 2 OR 3 VIRTUAL | |
| DEVICE BEHAVIORAL | AGES 2-30 | |

Newly Diagnosed Clinical Trials



JAKPOT-T1D

AGES 12-35 T1D LESS THAN 100 DAYS, A1C <10%

LOCATION: MA





DRUG

T1D RELAY

AGES 8-45 T1D LESS THAN 100 DAYS

LOCATION: MA





STOP-T1D STUDY

AGES 6-35 IN STAGE 2 DIABETES

LOCATION: MA





DRUG

DESIGNATE

AGES 18-45 WITHIN 18 MONTHS OF DIAGNOSIS

LOCATION: MA





DIAGNODE-3

AGES 12-28
WITHIN 6 MONTHS OF DIAGNOSIS

LOCATION: MA



Trial Tool and CTEV Contact Info

Clinical Trials Connection Tool Match to a Clinical Trial in 60 Seconds



Breakthrough T1D Greater New England Clinical Trial Education Volunteers AmandaJGilchrist@gmail.com and Kristin.Neff@gmail.com